

Package ‘DPI’

August 20, 2025

Title The Directed Prediction Index

Version 2025.8

Date 2025-08-15

Maintainer Han Wu Shuang Bao <baohws@foxmail.com>

Description The Directed Prediction Index ('DPI') is
a simulation-based method
for quantifying the relative endogeneity (relative dependence)
of outcome (Y) versus predictor (X) variables
in multiple linear regression models.
By comparing the proportion of variance explained (R-squared)
between the Y-as-outcome model and the X-as-outcome model
while controlling for a sufficient number
of potential confounding variables,
it suggests a more plausible influence direction
from a more exogenous variable (X) to a more endogenous variable (Y).
Methodological details are provided at
<<https://psychbruce.github.io/DPI/>>.

License GPL-3

Encoding UTF-8

URL <https://psychbruce.github.io/DPI/>

BugReports <https://github.com/psychbruce/DPI/issues>

Depends R (>= 4.0.0)

Imports glue, crayon, cli, ggplot2, cowplot, qgraph, bnlearn

Suggests bruceR

RoxygenNote 7.3.2

NeedsCompilation no

Author Han Wu Shuang Bao [aut, cre] (ORCID:
<<https://orcid.org/0000-0003-3043-710X>>)

Repository CRAN

Date/Publication 2025-08-20 03:30:02 UTC

Contents

cor_network	2
dag_network	4
data_random	7
DPI	7
DPI_curve	9

Index	12
--------------	-----------

cor_network	<i>Correlation and partial correlation networks.</i>
-------------	--

Description

Correlation and partial correlation networks (also called Gaussian graphical models, GGMs).

Usage

```
cor_network(  
  data,  
  index = c("cor", "pcor"),  
  show.value = TRUE,  
  show.insig = FALSE,  
  show.cutoff = FALSE,  
  faded = FALSE,  
  node.text.size = 1.2,  
  node.group = NULL,  
  node.color = NULL,  
  edge.color.pos = "#0571B0",  
  edge.color.neg = "#CA0020",  
  edge.color.non = "#EEEEEEEE",  
  edge.label.mrg = 0.01,  
  title = NULL,  
  file = NULL,  
  width = 6,  
  height = 4,  
  dpi = 500,  
  ...  
)
```

Arguments

data	Data.
index	Type of graph: "cor" (raw correlation network) or "pcor" (partial correlation network). Defaults to "cor".
show.value	Show correlation coefficients and their significance on edges. Defaults to TRUE.

show.insig	Show edges with insignificant correlations ($p > 0.05$). Defaults to FALSE. To change significance level, please set alpha (defaults to $\alpha=0.05$).
show.cutoff	Show cut-off values of correlations. Defaults to FALSE.
faded	Transparency of edges according to the effect size of correlation. Defaults to FALSE.
node.text.size	Scalar on the font size of node (variable) labels. Defaults to 1.2.
node.group	A list that indicates which nodes belong together, with each element of list as a vector of integers identifying the column numbers of variables that belong together.
node.color	A vector with a color for each element in node.group, or a color for each node.
edge.color.pos	Color for (significant) positive values. Defaults to "#0571B0" (blue in Color-Brewer's RdBu palette).
edge.color.neg	Color for (significant) negative values. Defaults to "#CA0020" (red in Color-Brewer's RdBu palette).
edge.color.non	Color for insignificant values. Defaults to "#EEEEEEEE" (transparent grey).
edge.label.mrg	Margin of the background box around the edge label. Defaults to 0.01.
title	Plot title.
file	File name of saved plot (".png" or ".pdf").
width, height	Width and height (in inches) of saved plot. Defaults to 6 and 4.
dpi	Dots per inch (figure resolution). Defaults to 500.
...	Arguments passed on to qgraph() .

Value

Return a list (class `cor.net`) of (partial) correlation results and [qgraph](#) object with its [grob](#) (Grid Graphical Object).

See Also

[S3method.network](#)
[dag_network\(\)](#)

Examples

```
# correlation network
cor_network(airquality)
cor_network(airquality, show.insig=TRUE)

# partial correlation network
cor_network(airquality, "pcor")
cor_network(airquality, "pcor", show.insig=TRUE)
```

dag_network

Directed acyclic graphs (DAGs) via Bayesian networks (BNs).

Description

Directed acyclic graphs (DAGs) via Bayesian networks (BNs). It uses `bnlearn::boot.strength()` to estimate the strength of each edge as its *empirical frequency* over a set of networks learned from bootstrap samples. It computes (1) the probability of each edge (modulo its direction) and (2) the probabilities of each edge's directions conditional on the edge being present in the graph (in either direction). Stability thresholds are usually set as 0.85 for *strength* (i.e., an edge appearing in more than 85% of BNs bootstrap samples) and 0.50 for *direction* (i.e., a direction appearing in more than 50% of BNs bootstrap samples) (Briganti et al., 2023). Finally, for each chosen algorithm, it returns the stable Bayesian network as the final DAG.

Usage

```
dag_network(
  data,
  algorithm = c("pc.stable", "hc", "rsmax2"),
  algorithm.args = list(),
  n.boot = 1000,
  seed = NULL,
  strength = 0.85,
  direction = 0.5,
  node.text.size = 1.2,
  edge.width.max = 1.5,
  edge.label.mrg = 0.01,
  file = NULL,
  width = 6,
  height = 4,
  dpi = 500,
  ...
)
```

Arguments

data	Data.
algorithm	Structure learning algorithms for building Bayesian networks (BNs). Should be function name(s) from the <code>bnlearn</code> package. Better to perform BNs with all three classes of algorithms to check the robustness of results (Briganti et al., 2023). Defaults to the most common algorithms: "pc.stable" (PC), "hc" (HC), and "rsmax2" (RS), for the three classes, respectively. • (1) Constraint-based Algorithms – PC: "pc.stable" (<i>the first practical constraint-based causal structure learning algorithm by Peter & Clark</i>)

- Others: "gs", "iamb", "fast.iamb", "inter.iamb", "iamb.fdr"
- (2) **Score-based Algorithms**
 - Hill-Climbing: "hc" (*the hill-climbing greedy search algorithm, exploring DAGs by single-edge additions, removals, and reversals, with random restarts to avoid local optima*)
 - Others: "tabu"
- (3) **Hybrid Algorithms** (combination of constraint-based and score-based algorithms)
 - Restricted Maximization: "rsmx2" (*the general 2-phase restricted maximization algorithm, first restricting the search space and then finding the optimal [maximizing the score of] network structure in the restricted space*)
 - Others: "mmhc", "h2pc"

algorithm.args	An optional list of extra arguments passed to the algorithm.
n.boot	Number of bootstrap samples (for learning a more "stable" network structure). Defaults to 1000.
seed	Random seed for replicable results. Defaults to NULL.
strength	Stability threshold of edge <i>strength</i> : the minimum proportion (probability) of BNs (among the n.boot bootstrap samples) in which each edge appears. • Defaults to 0.85 (85%). • Two reverse directions share the same edge strength. • Empirical frequency (?~100%) will be mapped onto edge <i>width/thickness</i> in the final integrated DAG, with wider (thicker) edges showing stronger links, though they usually look similar since the default range has been limited to 0.85~1.
direction	Stability threshold of edge <i>direction</i> : the minimum proportion (probability) of BNs (among the n.boot bootstrap samples) in which a direction of each edge appears. • Defaults to 0.50 (50%). • The proportions of two reverse directions add up to 100%. • Empirical frequency (?~100%) will be mapped onto edge <i>greyscale/transparency</i> in the final integrated DAG, with its value shown as edge text label.
node.text.size	Scalar on the font size of node (variable) labels. Defaults to 1.2.
edge.width.max	Maximum value of edge strength to scale all edge widths. Defaults to 1.5 for better display of arrow.
edge.label.mrg	Margin of the background box around the edge label. Defaults to 0.01.
file	File name of saved plot (".png" or ".pdf").
width, height	Width and height (in inches) of saved plot. Defaults to 6 and 4.
dpi	Dots per inch (figure resolution). Defaults to 500.
...	Arguments passed on to <code>qgraph()</code> .

Value

Return a list (class `dag.net`) of Bayesian network results and `qgraph` object with its `grob` (Grid Graphical Object).

References

- Briganti, G., Scutari, M., & McNally, R. J. (2023). A tutorial on Bayesian networks for psychopathology researchers. *Psychological Methods*, 28(4), 947–961. doi:10.1037/met0000479
- Burger, J., Isvoranu, A.-M., Lunansky, G., Haslbeck, J. M. B., Epskamp, S., Hoekstra, R. H. A., Fried, E. I., Borsboom, D., & Blanken, T. F. (2023). Reporting standards for psychological network analyses in cross-sectional data. *Psychological Methods*, 28(4), 806–824. doi:10.1037/met0000471
- Scutari, M., & Denis, J.-B. (2021). *Bayesian networks: With examples in R* (2nd ed.). Chapman and Hall/CRC. doi:10.1201/9780429347436
- <https://www.bnlearn.com/>

See Also

[S3method.network](#)
[cor_network\(\)](#)

Examples

```
bn = dag_network(airquality, seed=1)
bn
# bn$pc.stable
# bn$hc
# bn$rsmax2

## All DAG objects can be directly plotted
## or saved with print(..., file="xxx.png")
# bn$pc.stable$DAG.edge
# bn$pc.stable$DAG.strength
# bn$pc.stable$DAG.direction
# bn$pc.stable$DAG
# ...

## Not run:

print(bn, file="airquality.png")
# will save three plots with auto-modified file names:
- "airquality_DAG.NET_BNs.01_pc.stable.png"
- "airquality_DAG.NET_BNs.02_hc.png"
- "airquality_DAG.NET_BNs.03_rsmax2.png"

# arrange multiple plots using cowplot::plot_grid()
# but still with unknown issue on incomplete figure
c1 = cor_network(airquality, "cor")
c2 = cor_network(airquality, "pcor")
bn = dag_network(airquality, seed=1)
plot_grid(
  ~print(c1),
  ~print(c2),
  ~print(bn$hc$DAG),
  ~print(bn$rsmax2$DAG),
  labels="AUTO"
```

```
)
## End(Not run)
```

data_random	<i>Generate random data.</i>
-------------	------------------------------

Description

Generate random data.

Usage

```
data_random(k, n, seed = NULL)
```

Arguments

k	Number of variables.
n	Number of observations (cases).
seed	Random seed for replicable results. Defaults to NULL.

Value

Return a data.frame of random data.

Examples

```
d = data_random(k=5, n=100, seed=1)
cor_network(d)
```

DPI	<i>The Directed Prediction Index (DPI).</i>
-----	---

Description

The Directed Prediction Index (DPI) is a simulation-based method for quantifying the *relative endogeneity* (relative dependence) of outcome (Y) vs. predictor (X) variables in multiple linear regression models. By comparing the proportion of variance explained (R -squared) between the Y -as-outcome model and the X -as-outcome model while controlling for a sufficient number of potential confounding variables, it suggests a more plausible influence direction from a more exogenous variable (X) to a more endogenous variable (Y). Methodological details are provided at <https://psychbruce.github.io/DPI/>.

Usage

```
DPI(
  model,
  y,
  x,
  data = NULL,
  k.cov = 1,
  n.sim = 1000,
  seed = NULL,
  progress,
  file = NULL,
  width = 6,
  height = 4,
  dpi = 500
)
```

Arguments

<code>model</code>	Model object (lm).
<code>y</code>	Dependent (outcome) variable.
<code>x</code>	Independent (predictor) variable.
<code>data</code>	[Optional] Defaults to NULL. If data is specified, then <code>model</code> will be ignored and a linear model <code>lm({y} ~ {x} + .)</code> will be fitted inside. This is helpful for exploring all variables in a dataset.
<code>k.cov</code>	Number of random covariates (simulating potential omitted variables) added to each simulation sample. • Defaults to 1. Please also test different <code>k.cov</code> values as robustness checks (see DPI_curve()). • If <code>k.cov > 0</code>, the raw data (without bootstrapping) are used, with <code>k.cov</code> random variables appended, for simulation. • If <code>k.cov = 0</code> (not suggested), bootstrap samples (resampling with replacement) are used for simulation.
<code>n.sim</code>	Number of simulation samples. Defaults to 1000.
<code>seed</code>	Random seed for replicable results. Defaults to NULL.
<code>progress</code>	Show progress bar. Defaults to FALSE (if <code>n.sim < 5000</code>).
<code>file</code>	File name of saved plot (".png" or ".pdf").
<code>width, height</code>	Width and height (in inches) of saved plot. Defaults to 6 and 4.
<code>dpi</code>	Dots per inch (figure resolution). Defaults to 500.

Value

Return a data.frame of simulation results:

- `DPI`
 - `t.beta.xy^2 * (R2.Y - R2.X)`

- `t.beta.xy`
 - t value for coefficient of X predicting Y (always equal to t value for coefficient of Y predicting X) when controlling for all other covariates
- `df.beta.xy`
 - residual degree of freedom (df) of `t.beta.xy`
- `r.partial.xy`
 - partial correlation (always with the same t value as `t.beta.xy`) between X and Y when controlling for all other covariates
- `delta.R2`
 - $R^2.Y - R^2.X$
- `R2.Y`
 - R^2 of regression model predicting Y using X and all other covariates
- `R2.X`
 - R^2 of regression model predicting X using Y and all other covariates

See Also

[S3method.dpi](#)

[DPI_curve\(\)](#)

[cor_network\(\)](#)

[dag_network\(\)](#)

Examples

```
model = lm(Ozone ~ ., data=airquality)
DPI(model, y="Ozone", x="Solar.R", seed=1)
DPI(data=airquality, y="Ozone", x="Solar.R", k.cov=10, seed=1)
```

DPI_curve

The DPI curve analysis.

Description

The DPI curve analysis.

Usage

```
DPI_curve(
  model,
  y,
  x,
  data = NULL,
  k.covs = 1:10,
  n.sim = 1000,
  seed = NULL,
  file = NULL,
  width = 6,
  height = 4,
  dpi = 500
)
```

Arguments

<code>model</code>	Model object (lm).
<code>y</code>	Dependent (outcome) variable.
<code>x</code>	Independent (predictor) variable.
<code>data</code>	[Optional] Defaults to NULL. If data is specified, then <code>model</code> will be ignored and a linear model <code>lm({y} ~ {x} + .)</code> will be fitted inside. This is helpful for exploring all variables in a dataset.
<code>k.covs</code>	An integer vector of number of random covariates (simulating potential omitted variables) added to each simulation sample. Defaults to 1:10 (producing DPI results for <code>k.cov=1~10</code>). For details, see DPI() .
<code>n.sim</code>	Number of simulation samples. Defaults to 1000.
<code>seed</code>	Random seed for replicable results. Defaults to NULL.
<code>file</code>	File name of saved plot (".png" or ".pdf").
<code>width, height</code>	Width and height (in inches) of saved plot. Defaults to 6 and 4.
<code>dpi</code>	Dots per inch (figure resolution). Defaults to 500.

Value

Return a data.frame of DPI curve results.

See Also

[S3method.dpi](#)

[DPI\(\)](#)

[cor_network\(\)](#)

[dag_network\(\)](#)

Examples

```
model = lm(Ozone ~ ., data=airquality)
DPIs = DPI_curve(model, y="Ozone", x="Solar.R", seed=1)
plot(DPIs) # ggplot object
```

Index

bnlearn, [4](#)
bnlearn::boot.strength(), [4](#)

Constraint-based Algorithms, [4](#)
cor_network, [2](#)
cor_network(), [6](#), [9](#), [10](#)

dag_network, [4](#)
dag_network(), [3](#), [9](#), [10](#)
data_random, [7](#)
DPI, [7](#)
DPI(), [10](#)
DPI_curve, [9](#)
DPI_curve(), [8](#), [9](#)

fast.iamb, [5](#)

grob, [3](#), [5](#)
gs, [5](#)

h2pc, [5](#)
hc, [5](#)
Hybrid Algorithms, [5](#)

iamb, [5](#)
iamb.fdr, [5](#)
inter.iamb, [5](#)

mmhc, [5](#)

pc.stable, [4](#)

qgraph, [3](#), [5](#)
qgraph(), [3](#), [5](#)

rsmx2, [5](#)

S3method.dpi, [9](#), [10](#)
S3method.network, [3](#), [6](#)
Score-based Algorithms, [5](#)
Structure learning algorithms, [4](#)

tabu, [5](#)