

Package ‘tmaptools’

July 24, 2025

Type Package

Title Thematic Map Tools

Version 3.3

Description

Set of tools for reading and processing spatial data. The aim is to supply the workflow to create thematic maps. This package also facilitates 'tmap', the package for visualizing thematic maps.

License GPL-3

Encoding UTF-8

Depends R (>= 3.5), methods

Imports sf (>= 0.9.2), lwgeom (>= 0.1-4), stars (>= 0.4-1), units (>= 0.6-1), stats, XML

Suggests tmap, cols4all, rmapshaper, osmdata, OpenStreetMap, raster

URL <https://github.com/r-tmap/tmaptools>,
<https://r-tmap.github.io/tmaptools/>

BugReports <https://github.com/r-tmap/tmaptools/issues>

RoxygenNote 7.3.2

NeedsCompilation no

Author Martijn Tennekes [aut, cre]

Maintainer Martijn Tennekes <mtennekes@gmail.com>

Repository CRAN

Date/Publication 2025-07-24 16:10:02 UTC

Contents

tmaptools-package	2
approx_areas	3
approx_distances	5
bb	6
bb_poly	9

calc_densities	10
crop_shape	12
geocode_OSM	13
get_asp_ratio	15
get_neighbours	16
map_coloring	16
read_GPX	17
read_osm	18
rev_geocode_OSM	20
simplify_shape	21

Index	23
--------------	-----------

tmaptools-package	<i>Thematic Map Tools</i>
-------------------	---------------------------

Description

This package offers a set of handy tool functions for reading and processing spatial data. The aim of these functions is to supply the workflow to create thematic maps, e.g. read shape files, set map projections, append data, calculate areas and distances, and query OpenStreetMap. The visualization of thematic maps can be done with the tmap package.

Details

This page provides a brief overview of all package functions.

Tool functions (shape)

approx_areas	Approximate area sizes of polygons
approx_distances	Approximate distances
bb	Create, extract or modify a bounding box
bb_poly	Convert bounding box to a polygon
get_asp_ratio	Get the aspect ratio of a shape object

Tool functions (colors)

map_coloring	Find different colors for adjacent polygons
------------------------------	---

Spatial transformation functions

<code>crop_shape</code>	Crop shape objects
<code>simplify_shape</code>	Simplify a shape

Input and output functions

<code>geocode_OSM</code>	Get a location from an address description
<code>read_GPX</code>	Read a GPX file
<code>read_osm</code>	Read Open Street Map data
<code>rev_geocode_OSM</code>	Get an address description from a location

Author(s)

Maintainer: Martijn Tennekes <mtennekes@gmail.com>

See Also

Useful links:

- <https://github.com/r-tmap/tmaptools>
- <https://r-tmap.github.io/tmaptools/>
- Report bugs at <https://github.com/r-tmap/tmaptools/issues>

<code>approx_areas</code>	<i>Approximate area sizes of the shapes</i>
---------------------------	---

Description

Approximate the area sizes of the polygons in real-world area units (such as sq km or sq mi), proportional numbers, or normalized numbers. Also, the areas can be calibrated to a prespecified area total. This function is a convenient wrapper around `st_area`.

Usage

```
approx_areas(shp, target = "metric", total.area = NULL)
```

Arguments

shp	shape object, i.e., an <code>sf</code> or <code>sp</code> object.
target	target unit, one of <ul style="list-style-type: none"> "prop": Proportional numbers. In other words, the sum of the area sizes equals one. "norm": Normalized numbers. All area sizes are normalized to the largest area, of which the area size equals one. "metric" (default): Output area sizes will be either "km" (kilometer) or "m" (meter) depending on the map scale "imperial": Output area sizes will be either "mi" (miles) or "ft" (feet) depending on the map scale <p>other: Predefined values are "km^2", "m^2", "mi^2", and "ft^2". Other values can be specified as well, in which case to is required).</p> <p>These units are the output units. See <code>orig</code> for the coordinate units used by the shape <code>shp</code>.</p>
total.area	total area size of <code>shp</code> in number of target units (defined by <code>target</code>). Useful if the total area of the <code>shp</code> differs from a reference total area value. For "metric" and "imperial" units, please provide the total area in squared kilometers respectively miles.

Details

Note that the method of determining areas is an approximation, since it depends on the used projection and the level of detail of the shape object. Projections with equal-area property are highly recommended. See https://en.wikipedia.org/wiki/List_of_map_projections for equal area world map projections.

Value

Numeric vector of area sizes (class `units`).

See Also

[approx_distances](#)

Examples

```
if (require(tmap)) {
  data(NLD_muni)

  NLD_muni$area <- approx_areas(NLD_muni, total.area = 33893)

  tm_shape(NLD_muni) +
    tm_bubbles(size="area",
               size.legend = tm_legend(title = expression("Area in " * km^2)))

  # function that returns min, max, mean and sum of area values
```

```

summary_areas <- function(x) {
  list(min_area=min(x),
       max_area=max(x),
       mean_area=mean(x),
       sum_area=sum(x))
}

# area of the polygons
summary_areas(approx_areas(NLD_muni))

# area of the polygons, adjusted corrected for a specified total area size
summary_areas(approx_areas(NLD_muni, total.area=33893))

# proportional area of the polygons
summary_areas(approx_areas(NLD_muni, target = "prop"))

# area in squared miles
summary_areas(approx_areas(NLD_muni, target = "mi mi"))

# area of the polygons when unprojected
summary_areas(approx_areas(sf::st_transform(NLD_muni, crs = 4326)))
}

```

approx_distances	<i>Approximate distances</i>
------------------	------------------------------

Description

Approximate distances between two points or across the horizontal and vertical centerlines of a bounding box.

Usage

```
approx_distances(x, y = NULL, projection = NULL, target = NULL)
```

Arguments

x	object that can be coerced to a bounding box with <code>bb</code> , or a pair of coordintes (vector of two). In the former case, the distance across the horizontal and vertical centerlines of the bounding box are approximated. In the latter case, y is also required; the distance between points x and y is approximated.
y	a pair of coordintes, vector of two. Only required when x is also a pair of coordintes.
projection	projection code, needed in case x is a bounding box or when x and y are pairs of coordinates.
target	target unit, one of: "m", "km", "mi", and "ft".

Value

If `y` is specified, a list of two: `unit` and `dist`. Else, a list of three: `unit`, `hdist` (horizontal distance) and `vdist` (vertical distance).

See Also

[approx_areas](#)

Examples

```
## Not run:
if (require(tmap)) {
  data(NLD_prov)

  # North-South and East-West distances of the Netherlands
  approx_distances(NLD_prov)

  # Distance between Maastricht and Groningen
  p_maastricht <- geocode_OSM("Maastricht")$coords
  p_groningen <- geocode_OSM("Groningen")$coords
  approx_distances(p_maastricht, p_groningen, projection = 4326, target = "km")

  # Check distances in several projections
  sapply(c(3035, 28992, 4326), function(projection) {
    p_maastricht <- geocode_OSM("Maastricht", projection = projection)$coords
    p_groningen <- geocode_OSM("Groningen", projection = projection)$coords
    approx_distances(p_maastricht, p_groningen, projection = projection)
  })
}

## End(Not run)
```

bb

Bounding box generator

Description

Swiss army knife for bounding boxes. Modify an existing bounding box or create a new bounding box from scratch. See details.

Usage

```
bb(
  x = NA,
  ext = NULL,
  cx = NULL,
  cy = NULL,
  width = NULL,
  height = NULL,
```

```

xlim = NULL,
ylim = NULL,
relative = FALSE,
asp.target = NULL,
asp.limit = NULL,
current.projection = NULL,
projection = NULL,
output = c("bbox", "matrix", "extent")
)

```

Arguments

x	<p>One of the following:</p> <ul style="list-style-type: none"> • A shape from class <code>sf</code>, <code>stars</code>, <code>sp</code>, or <code>raster</code>. • A bounding box (<code>st_bbox</code>, <code>Extent</code> (raster package, which will no longer be supported in the future versions), numeric vector of 4 (default order: <code>xmin</code>, <code>ymin</code>, <code>xmax</code>, <code>ymax</code>), or a 2x2 matrix). • Open Street Map search query. The bounding is automatically generated by querying <code>x</code> from Open Street Map Nominatim. See geocode_OSM
ext	Extension factor of the bounding box. If 1, the bounding box is unchanged. Values smaller than 1 reduces the bounding box, and values larger than 1 enlarges the bounding box. This argument is a shortcut for both width and height with <code>relative=TRUE</code> . If a negative value is specified, then the shortest side of the bounding box (so width or height) is extended with <code>ext</code> , and the longest side is extended with the same absolute value. This is especially useful for bounding boxes with very low or high aspect ratios.
cx	center x coordinate
cy	center y coordinate
width	width of the bounding box. These are either absolute or relative (depending on the argument <code>relative</code>).
height	height of the bounding box. These are either absolute or relative (depending on the argument <code>relative</code>).
xlim	limits of the x-axis. These are either absolute or relative (depending on the argument <code>relative</code>).
ylim	limits of the y-axis. See <code>xlim</code> .
relative	boolean that determines whether relative values are used for width, height, <code>xlim</code> and <code>ylim</code> or absolute. If <code>x</code> is unspecified, <code>relative</code> is set to "FALSE".
asp.target	target aspect ratio, which is width/height, of the returned bounding box.
asp.limit	maximum aspect ratio, which is width/height. Number greater than or equal to 1. For landscape bounding boxes, <code>1/asp.limit</code> will be used. The returned bounding box will have an aspect ratio between <code>1/asp.limit</code> and <code>asp.limit</code> .
current.projection	projection that corresponds to the bounding box specified by <code>x</code> .

projection	projection to transform the bounding box to.
output	output format of the bounding box, one of: <ul style="list-style-type: none"> • "bbox" a <code>sf::bbox</code> object, which is a numeric vector of 4: xmin, ymin, xmax, ymax. This representation used by the <code>sf</code> package. • "matrix" a 2 by 2 numeric matrix, where the rows correspond to x and y, and the columns to min and max. This representation used by the <code>sp</code> package. • "extent" an <code>raster::extent</code> object, which is a numeric vector of 4: xmin, xmax, ymin, ymax. This representation used by the <code>raster</code> package.

Details

An existing bounding box (defined by `x`) can be modified as follows:

- Using the extension factor `ext`.
- Changing the width and height with `width` and `height`. The argument `relative` determines whether relative or absolute values are used.
- Setting the x and y limits. The argument `relative` determines whether relative or absolute values are used.

A new bounding box can be created from scratch as follows:

- Using the extension factor `ext`.
- Setting the center coordinates `cx` and `cy`, together with the width and height.
- Setting the x and y limits `xlim` and `ylim`

Value

bounding box (see argument `output`)

See Also

[geocode_OSM](#)

Examples

```
if (require(tmap)) {
  ## load shapes
  data(NLD_muni)
  data(World)

  ## get bounding box (similar to sp's function bbox)
  bb(NLD_muni)

  ## extent it by factor 1.10
  bb(NLD_muni, ext=1.10)
```



```

## double the width
bb(NLD_muni, width=2, relative = TRUE)

## crop both dimensions from 0.25 to 0.75
bb(NLD_muni, xlim=c(.25, .75), ylim=c(.25, .75), relative = TRUE)

## extent it such that aspect ratio is 1
bb(NLD_muni, asp.target = 1)

## convert to longlat (EPSG 4326)
bb(NLD_muni, projection=4326)
}

## Not run:
if (require(tmap)) {
  bb("Limburg", projection = 28992)
  bb_italy <- bb("Italy", projection = "+proj=eck4")

  tm_shape(World, bbox=bb_italy) + tm_polygons()
  # shorter alternative: tm_shape(World, bbox="Italy") + tm_polygons()
}
## End(Not run)

```

bb_poly

Convert bounding box to a spatial polygon

Description

Convert bounding box to a spatial ([sfc](#)) object . Useful for plotting (see example). The function `bb_earth` returns a spatial polygon of the 'boundaries' of the earth, which can also be done in other projections (if a feasible solution exists).

Usage

```
bb_poly(x, steps = 100, stepsize = NA, projection = NULL)
```

```

bb_earth(
  projection = NULL,
  stepsize = 1,
  earth.datum = 4326,
  bbox = c(-180, -90, 180, 90),
  buffer = 1e-06
)

```

Arguments

x object that can be coerced to a bounding box with [bb](#)

steps	number of intermediate points along the shortest edge of the bounding box. The number of intermediate points along the longest edge scales with the aspect ratio. These intermediate points are needed if the bounding box is plotted in another projection.
stepsize	stepsize in terms of coordinates (usually meters when the shape is projected and degrees of longlat coordinates are used). If specified, it overrules steps
projection	projection in which the coordinates of x are provided. For <code>bb_earth</code> , <code>projection</code> is the projection in which the bounding box is returned (if possible).
earth.datum	Geodetic datum to determine the earth boundary. By default EPSG 4326.
bbx	boundig box of the earth in a vector of 4 values: min longitude, max longitude, min latitude, max latitude. By default <code>c(-180, 180, -90, 90)</code> . If for some projection, a feasible solution does not exist, it may be wise to choose a smaller <code>bbx</code> , e.g. <code>c(-180, 180, -88, 88)</code> . However, this is also automatically done with the next argument, <code>buffer</code> .
buffer	In order to determine feasible earth bounding boxes in other projections, a buffer is used to decrease the bounding box by a small margin (default $1e-06$). This value is subtracted from each the bounding box coordinates. If it still does not result in a feasible bounding box, this procedure is repeated 5 times, where each time the buffer is multiplied by 10. Set <code>buffer=0</code> to disable this procedure.

Value

`sfc` object

Examples

```
if (require(tmap) && packageVersion("tmap") >= "2.0") {
  data(NLD_muni)

  current.mode <- tmap_mode("view")
  qtm(bb_poly(NLD_muni))

  # restore mode
  tmap_mode(current.mode)
}
```

calc_densities

Calculate densities

Description

Transpose quantitative variables to density variables, which are often needed for choroplets. For example, the colors of a population density map should correspond population density counts rather than absolute population numbers.

Usage

```
calc_densities(
  shp,
  var,
  target = "metric",
  total.area = NULL,
  suffix = NA,
  drop = TRUE
)
```

Arguments

shp	a shape object, i.e., an sf object.
var	name(s) of a quality variable name contained in the shp data
target	the target unit, see approx_areas . Density values are calculated in $\text{var}/\text{target}^2$.
total.area	total area size of shp in number of target units (defined by unit), approx_areas .
suffix	character that is appended to the variable names. The resulting names are used as column names of the returned data.frame. By default, $_sq_{<\text{target}>}$, where target corresponds to the target unit, e.g. $_sq_{\text{km}}$
drop	boolean that determines whether an one-column data-frame should be returned as a vector

Value

Vector or data.frame (depending on whether $\text{length}(\text{var})==1$ with density values.

Examples

```
if (require(tmap) && packageVersion("tmap") >= "3.99") {
  data(NLD_muni)

  NLD_muni_pop_per_km2 <- calc_densities(NLD_muni,
    target = "km km", var = c("population", "dwelling_total"))
  NLD_muni <- sf::st_sf(data.frame(NLD_muni, NLD_muni_pop_per_km2))

  tm_shape(NLD_muni) +
    tm_polygons(
      fill = c("population_km.2", "dwelling_total_km.2"),
      fill.legend =
        list(
          tm_legend(expression("Population per " * km^2)),
          tm_legend(expression("Dwellings per " * km^2)))
    ) +
  tm_facets(free.scales = TRUE) +
  tm_layout(panel.show = FALSE)
}
```

crop_shape	<i>Crop shape object</i>
------------	--------------------------

Description

Crop a shape object (from class [sf](#), [stars](#), [sp](#), or [raster](#)). A shape file *x* is cropped, either by the bounding box of another shape *y*, or by *y* itself if it is a [SpatialPolygons](#) object and `polygon = TRUE`.

Usage

```
crop_shape(x, y, polygon = FALSE, ...)
```

Arguments

<code>x</code>	shape object, i.e. an object from class sf , stars , sp , or raster .
<code>y</code>	bounding box, an st_bbox , extent (raster package), or a shape object from which the bounding box is extracted (unless <code>polygon</code> is <code>TRUE</code> and <code>x</code> is an sf object).
<code>polygon</code>	should <code>x</code> be cropped by the polygon defined by <code>y</code> ? If <code>FALSE</code> (default), <code>x</code> is cropped by the bounding box of <code>x</code> . Polygon cropping only works when <code>x</code> is a spatial object and <code>y</code> is a SpatialPolygons object.
<code>...</code>	not used anymore

Details

This function is similar to `crop` from the [raster](#) package. The main difference is that `crop_shape` also allows to crop using a polygon instead of a rectangle.

Value

cropped shape, in the same class as `x`

See Also

[bb](#)

Examples

```
if (require(tmap) && packageVersion("tmap") >= "3.99") {
  data(World, NLD_muni, land, metro)

  #land_NLD <- crop_shape(land, NLD_muni)

  #qtm(land_NLD, raster="trees", style="natural")

  metro_Europe <- crop_shape(metro, World[World$continent == "Europe", ], polygon = TRUE)
```

```

qtm(World) +
tm_shape(metro_Europe) +
tm_bubbles("pop2010",
           col="red",
           size.legend = tm_legend("European cities")) +
tm_legend(frame=TRUE)
}

```

geocode_OSM

Geocodes a location using OpenStreetMap Nominatim

Description

Geocodes a location (based on a search query) to coordinates and a bounding box. Similar to geocode from the ggmap package. It uses OpenStreetMap Nominatim. For processing large amount of queries, please read the usage policy (<https://operations.osmfoundation.org/policies/nominatim/>).

Usage

```

geocode_OSM(
  q,
  projection = NULL,
  return.first.only = TRUE,
  keep.unfound = FALSE,
  details = FALSE,
  as.data.frame = NA,
  as.sf = FALSE,
  geometry = c("point", "bbox"),
  server = "https://nominatim.openstreetmap.org"
)

```

Arguments

q	a character (vector) that specifies a search query. For instance "India" or "CBS Weg 11, Heerlen, Netherlands".
projection	projection in which the coordinates and bounding box are returned. See st_crs for details. By default latitude longitude coordinates (EPSG 4326).
return.first.only	Only return the first result
keep.unfound	Keep list items / data.frame rows with NAs for unfound search terms. By default FALSE
details	provide output details, other than the point coordinates and bounding box
as.data.frame	Return the output as a data.frame. If FALSE, a list is returned with at least two items: "coords", a vector containing the coordinates, and "bbox", the corresponding bounding box. By default false, unless q contains multiple queries. If as.sf = TRUE (see below), as.data.frame will set to TRUE.

<code>as.sf</code>	Return the output as <code>sf</code> object. If <code>TRUE</code> , <code>return.first.only</code> will be set to <code>TRUE</code> . Two geometry columns are added: <code>bbox</code> and <code>point</code> . The argument <code>geometry</code> determines which of them is set to the default geometry.
<code>geometry</code>	When <code>as.sf</code> , this argument determines which column (<code>bbox</code> or <code>point</code>) is set as geometry column. Note that the geometry can be changed afterwards with st_set_geometry .
<code>server</code>	OpenStreetMap Nominatim server name. Could also be a local OSM Nominatim server.

Value

If `as.sf` then a `sf` object is returned. Else, if `as.data.frame`, then a `data.frame` is returned, else a list.

See Also

[rev_geocode_OSM](#), [bb](#)

Examples

```
## Not run:
if (require(tmap)) {
  geocode_OSM("India")
  geocode_OSM("CBS Weg 1, Heerlen")
  geocode_OSM("CBS Weg 1, Heerlen", projection = 28992)

  data(metro)

  # sample 5 cities from the metro dataset
  five_cities <- metro[sample(length(metro), 5), ]

  # obtain geocode locations from their long names
  five_cities_geocode <- geocode_OSM(five_cities$name_long, as.sf = TRUE)

  # change to interactive mode
  current.mode <- tmap_mode("view")

  # plot metro coordinates in red and geocode coordinates in blue
  # zoom in to see the differences
  tm_shape(five_cities) +
    tm_dots(col = "blue") +
  tm_shape(five_cities_geocode) +
    tm_dots(col = "red")

  # restore current mode
  tmap_mode(current.mode)
}

## End(Not run)
```

get_asp_ratio	<i>Get aspect ratio</i>
---------------	-------------------------

Description

Get the aspect ratio of a shape object, a [tmap](#) object, or a bounding box

Usage

```
get_asp_ratio(x, is.projected = NA, width = 700, height = 700, res = 100)
```

Arguments

x	A shape from class sf , stars , sp , or Raster , a bounding box (that can be coerced by bb), or a tmap object.
is.projected	Logical that determined wether the coordinates of x are projected (TRUE) or longitude latitude coordinates (FALSE). By deafult, it is determined by the coordinates of x.
width	See details; only applicable if x is a tmap object.
height	See details; only applicable if x is a tmap object.
res	See details; only applicable if x is a tmap object.

Details

The arguments width, height, and res are passed on to [png](#). If x is a [tmap](#) object, a temporarily png image is created to calculate the aspect ratio of a [tmap](#) object. The default size of this image is 700 by 700 pixels at 100 dpi.

Value

aspect ratio

Examples

```
if (require(tmap) && packageVersion("tmap") >= "2.0") {
  data(World)

  get_asp_ratio(World)

  get_asp_ratio(bb(World))

  tm <- qtm(World)
  get_asp_ratio(tm)
}

## Not run:
  get_asp_ratio("Germany") #note: bb("Germany") uses geocode_OSM("Germany")

## End(Not run)
```

get_neighbours	<i>Get neighbours list from spatial objects</i>
----------------	---

Description

Get neighbours list from spatial objects. The output is similar to the function `poly2nb` of the `spdep` package, but uses `sf` instead of `sp`.

Usage

```
get_neighbours(x)
```

Arguments

<code>x</code>	a shape object, i.e., a <code>sf</code> object or a <code>SpatialPolygons(DataFrame)</code> (<code>sp</code> package).
----------------	---

Value

A list where the items correspond to the features. Each item is a vector of neighbours.

map_coloring	<i>Map coloring</i>
--------------	---------------------

Description

Color the polygons of a map such that adjacent polygons have different colors. This function returns the color indices

Usage

```
map_coloring(x, algorithm = "greedy", ncols = 8, minimize = FALSE, ...)
```

Arguments

<code>x</code>	Either a shape (i.e. a <code>sf</code> or <code>SpatialPolygons(DataFrame)</code> (<code>sp</code> package) object), or an adjacency list.
<code>algorithm</code>	currently, only "greedy" is implemented.
<code>ncols</code>	number of colors. By default 8.
<code>minimize</code>	logical that determines whether <code>algorithm</code> will search for a minimal number of colors. If <code>FALSE</code> , the <code>ncols</code> colors will be picked by a random procedure.
<code>...</code>	to catch deprecated arguments <code>palette</code> and <code>contrast</code> . See details.

Details

As of tmaptools 3.3, the deprecated color functions `get_brewer_pal` and `palette_explorer`, have been removed. These have been replaced `c4a` and `c4a_gui` respectively from the package `cols4all`. Therefore, `map_coloring` will return color indices and will ignore the input arguments `palette` and `contrast`. See example.

Value

A vector of color indices.

Examples

```
if (require(tmap) && require(cols4all)) {
  data(World)

  ## using cols4all directly
  indices <- map_coloring(World)
  pal <- c4a("brewer.set2", n = max(indices))
  World$color = pal[indices]
  tm_shape(World) +
    tm_polygons("color", fill.scale = tm_scale_asis()) +
    tm_crs("auto")

  # using map_coloring via "MAP_COLORS" in tmap
  tm_shape(World) +
    tm_polygons("MAP_COLORS", tm_scale(values = "brewer.set2")) +
    tm_crs("auto")

  # other example
  data(NLD_prov, NLD_muni)
  tm_shape(NLD_prov) +
    tm_fill("name",
            fill.legend = tm_legend_hide()) +
  tm_shape(NLD_muni) +
    tm_polygons("MAP_COLORS",
                fill_alpha = .25,
                fill.scale = tm_scale(values = "brewer.greys")) +
  tm_shape(NLD_prov) +
  tm_borders(lwd=2) +
  tm_text("name", options = opt_tm_text(shadow = TRUE)) +
  tm_title("Dutch provinces and\nmunicipalities", bg.color="white")
}
```

Description

Read a GPX file. By default, it reads all possible GPX layers, and only returns shapes for layers that have any features.

Usage

```
read_GPX(
  file,
  layers = c("waypoints", "routes", "tracks", "route_points", "track_points"),
  remove.empty.layers = TRUE,
  as.sf = TRUE
)
```

Arguments

`file` a GPX filename (including directory)

`layers` vector of GPX layers. Possible options are "waypoints", "tracks", "routes", "track_points", "route_points". By default, all those layers are read.

`remove.empty.layers` should empty layers (i.e. with 0 features) be removed from the list?

`as.sf` not used anymore

Details

Note that this function returns `sf` objects, but still uses methods from `sp` and `rgdal` internally.

Value

a list of `sf` objects, one for each layer

read_osm	<i>Read Open Street Map data</i>
----------	----------------------------------

Description

Read Open Street Map data. OSM tiles are read and returned as a spatial raster. Vectorized OSM data is not supported anymore (see details).

Usage

```
read_osm(
  x,
  zoom = NULL,
  type = "osm",
  minNumTiles = NULL,
  mergeTiles = NULL,
```

```

    use.colortable = FALSE,
    ...
  )

```

Arguments

x	object that can be coerced to a bounding box with bb (e.g. an existing bounding box or a shape). In the first case, other arguments can be passed on to bb (see ...). If an existing bounding box is specified in projected coordinates, please specify <code>current.projection</code> .
zoom	passed on to openmap . Only applicable when <code>raster=TRUE</code> .
type	tile provider, by default "osm", which corresponds to OpenStreetMap Mapnik. See openmap for options. Only applicable when <code>raster=TRUE</code> .
minNumTiles	passed on to openmap Only applicable when <code>raster=TRUE</code> .
mergeTiles	passed on to openmap Only applicable when <code>raster=TRUE</code> .
use.colortable	should the colors of the returned raster object be stored in a colortable ? If FALSE, a RasterStack is returned with three layers that correspond to the red, green and blue values between 0 and 255.
...	arguments passed on to bb .

Details

As of version 2.0, `read_osm` cannot be used to read vectorized OSM data anymore. The reason is that the package that was used under the hood, `osmar`, has some limitations and is not actively maintained anymore. Therefore, we recommend the package `osmdata`. Since this package is very user-friendly, there was no reason to use `read_osm` as a wrapper for reading vectorized OSM data.

Value

The output of `read_osm` is a [raster](#) object.

Examples

```

## Not run:
if (require(tmap)) {
  ##### Choropleth with OSM background

  # load Netherlands shape
  data(NLD_muni)

  # read OSM raster data
  osm_NLD <- read_osm(NLD_muni, ext=1.1)

  # plot with regular tmap functions
  tm_shape(osm_NLD) +
    tm_rgb() +
    tm_shape(NLD_muni) +
    tm_polygons("population", convert2density=TRUE, style="kmeans", alpha=.7, palette="Purples")
}

```

```

##### A close look at the building of Statistics Netherlands in Heerlen

# create a bounding box around the CBS (Statistics Netherlands) building
CBS_bb <- bb("CBS Weg 11, Heerlen", width=.003, height=.002)

# read Microsoft Bing satellite and OpenCycleMap OSM layers
CBS_osm1 <- read_osm(CBS_bb, type="bing")
CBS_osm2 <- read_osm(CBS_bb, type="opencyclemap")

# plot OSM raster data
qtm(CBS_osm1)
qtm(CBS_osm2)

}

## End(Not run)

```

rev_geocode_OSM

Reverse geocodes a location using OpenStreetMap Nominatim

Description

Reverse geocodes a location (based on spatial coordinates) to an address. It uses OpenStreetMap Nominatim. For processing large amount of queries, please read the usage policy (<https://operations.osmfoundation.org/policies/nominatim/>).

Usage

```

rev_geocode_OSM(
  x,
  y = NULL,
  zoom = NULL,
  projection = 4326,
  as.data.frame = NA,
  server = "https://nominatim.openstreetmap.org",
  params = NULL
)

```

Arguments

x	x coordinate(s), or a spatial points object (sf or SpatialPoints)
y	y coordinate(s)
zoom	zoom level
projection	projection in which the coordinates x and y are provided.
as.data.frame	return as data.frame (TRUE) or list (FALSE). By default a list, unless multiple coordinates are provided.

server	OpenStreetMap Nominatim server name. Could also be a local OSM Nominatim server.
params	Additional parameters to pass to server. (must start with &), ex: "&accept-language=en" to return english rather than local language results.

Value

A data frame or a list with all attributes that are contained in the search result

See Also

[geocode_OSM](#)

Examples

```
## Not run:
if (require(tmap)) {
  data(metro)

  # sample five cities from metro dataset
  set.seed(1234)
  five_cities <- metro[sample(length(metro), 5), ]

  # obtain reverse geocode address information
  addresses <- rev_geocode_OSM(five_cities, zoom = 6)
  five_cities <- sf::st_sf(data.frame(five_cities, addresses))

  # change to interactive mode
  current.mode <- tmap_mode("view")
  tm_shape(five_cities) +
    tm_markers(text="name")

  # restore current mode
  tmap_mode(current.mode)
}

## End(Not run)
```

simplify_shape

Simplify shape

Description

Simplify a shape consisting of polygons or lines. This can be useful for shapes that are too detailed for visualization, especially along natural borders such as coastlines and rivers. The number of coordinates is reduced.

Usage

```
simplify_shape(shp, fact = 0.1, keep.units = FALSE, keep.subunits = FALSE, ...)
```

Arguments

shp	an sf or sfc object.
fact	simplification factor, number between 0 and 1 (default is 0.1)
keep.units	prevent small polygon features from disappearing at high simplification (default FALSE)
keep.subunits	should multipart polygons be converted to singlepart polygons? This prevents small shapes from disappearing during simplification if keep.units = TRUE. Default FALSE
...	other arguments passed on to the underlying function ms_simplify (except for the arguments input, keep, keep_shapes and explode)

Details

This function is a wrapper of [ms_simplify](#). In addition, the data is preserved. Also [sf](#) objects are supported.

Value

[sf](#) object

Examples

```
## Not run:
if (require(tmap)) {
  data(World)

  # show different simplification factors
  tm1 <- qtm(simplify_shape(World, fact = 0.05), title="Simplify 0.05")
  tm2 <- qtm(simplify_shape(World, fact = 0.1), title="Simplify 0.1")
  tm3 <- qtm(simplify_shape(World, fact = 0.2), title="Simplify 0.2")
  tm4 <- qtm(simplify_shape(World, fact = 0.5), title="Simplify 0.5")
  tmap_arrange(tm1, tm2, tm3, tm4)

  # show different options for keeping smaller (sub)units
  tm5 <- qtm(simplify_shape(World, keep.units = TRUE, keep.subunits = TRUE),
    title="Keep units and subunits")
  tm6 <- qtm(simplify_shape(World, keep.units = TRUE, keep.subunits = FALSE),
    title="Keep units, ignore small subunits")
  tm7 <- qtm(simplify_shape(World, keep.units = FALSE),
    title="Ignore small units and subunits")
  tmap_arrange(tm5, tm6, tm7)
}

## End(Not run)
```

Index

- * **GIS**
 - tmertools-package, 2
- * **densities**
 - calc_densities, 10
- * **spatial data**
 - tmertools-package, 2
- * **thematic maps**
 - tmertools-package, 2

- approx_areas, 2, 3, 6, 11
- approx_distances, 2, 4, 5

- bb, 2, 5, 6, 9, 12, 14, 15, 19
- bb_earth (bb_poly), 9
- bb_poly, 2, 9

- calc_densities, 10
- colortable, 19
- crop_shape, 3, 12

- geocode_OSM, 3, 7, 8, 13, 21
- get_asp_ratio, 2, 15
- get_neighbours, 16

- map_coloring, 2, 16
- ms_simplify, 22

- openmap, 19

- png, 15

- raster, 19
- read_GPX, 3, 17
- read_osm, 3, 18
- rev_geocode_OSM, 3, 14, 20

- sf, 4, 7, 8, 11, 12, 14–16, 18, 20, 22
- sfc, 9, 10, 22
- simplify_shape, 3, 21
- SpatialPoints, 20
- st_area, 3

- st_bbox, 7, 12
- st_crs, 13
- st_set_geometry, 14
- stars, 7, 12, 15

- tmap, 15
- tmertools (tmertools-package), 2
- tmertools-package, 2

- units, 4